



SMITH™


ULV-17
Fogger
(190695W)



ULV-17

- **Powerful blower** (35 mph)
- **36 in.** application hose
- **ULV** droplet spray
- **Oil and water** formulations





Hose and adjustment knob


Adjustment: oz. / min.

Full open 10 oz.

4 turns 8.0 oz.

3½ turns 4.0 oz.

3 turns 1.0 oz.




Liquid is pushed from pressurized tank and pulled by the nozzle venturi.


Droplet Plume

Air Speed


Coverage





10 oz. / min. Application of sanitizing formulations to surfaces up to 12 ft. from fogger. Complete surface coverage in **5 seconds** of spray time.



8 oz. / min. Application of sanitizing formulations to surfaces 6 - 9 ft. from fogger. Surface coverage in **5 seconds** of spray time.



4 oz. / min. Application of disinfection formulations up to 15 ft. from fogger. Complete surface coverage in **20 seconds** of spray time.




16 - 20 min. to evaporation

9 - 11 min. to evaporation

1 oz. / min. Application of **space spray** formulations to control flying and resting fruit flies and house flies indoors. Fog **20 to 30 sec.** into the air space with fans turned off.

Treatment area include small and large kitchens and serving areas in restaurants and bars.





SMITH™
ULV-17
Fogger
(190695W)